

Casquetes

Casquetes en medidas de 1" a 36"

1"-14"
16"-36"
1"-14"

Casquetes de 1" a 14"

Tabla de casquetes de 1" a 14"

Ø Nom.	Ø Ext. Bisel (D)	Largo (E)	Espesor de pared			Peso aprox.
pulg.	mm	mm	sch. n°	pulg.	mm	kg
1	33.40	38.10	40-STD	0.13	3.38	0.11
1	33.40	38.10	80-XS	0.18	4.55	0.14
1 1/4	42.20	38.10	40-STD	0.14	3.56	0.14
1 1/4	42.20	38.10	80-XS	0.19	4.85	0.19
1 1/2	48.30	38.10	40-STD	0.15	3.68	0.17
1 1/2	48.30	38.10	80-XS	0.20	5.08	0.23
2	60.30	38.10	40-STD	0.15	3.91	0.23
2	60.30	38.10	80-XS	0.22	5.54	0.33
2 1/2	73.00	38.10	40-STD	0.20	5.16	0.39
2 1/2	73.00	38.10	80-XS	0.28	7.01	0.53
3	88.90	50.80	40-STD	0.22	5.49	0.66
3	88.90	50.80	80-XS	0.30	7.62	0.92
4	114.30	63.50	40-STD	0.24	6.02	1.17
4	114.30	63.50	80-XS	0.34	8.56	1.67
5	141.30	76.20	40-STD	0.26	6.55	1.91
5	141.30	76.20	80-XS	0.38	9.53	2.78
6	168.30	88.90	40-STD	0.28	7.11	2.90
6	168.30	88.90	80-XS	0.43	10.97	4.47
8	219.10	101.60	40-STD	0.33	8.18	5.19
8	219.10	101.60	80-XS	0.50	12.70	8.05
10	273.00	127.00	40-STD	0.37	9.27	9.15
10	273.00	127.00	80-XS	0.50	12.70	12.5
12	323.90	152.40	40-STD	0.38	9.53	13.30
12	323.90	152.40	40	0.40	10.31	14.40

Ø Nom.	Ø Ext. Bisel (D)	Largo (E)	Espesor de pared			Peso aprox.
pulg.	mm	mm	sch. n°	pulg.	mm	kg
12	323.90	152.40	XS	0.50	12.70	17.70
14	355.60	165.10	40-STD	0.38	9.53	15.90
14	355.60	165.10	40	0.44	11.13	18.50
14	355.60	165.10	XS	0.50	12.70	21.20

16"-36"

Casquetes de 16" a 36"

Tabla de casquetes de 16" a 36"

Ø Nom.	Ø Ext. Bisel (D)	Largo (E)	Espesor de pared			Peso aprox.
pulg.	mm	mm	sch. n°	pulg.	mm	kg
16	406.40	177.80	STD	0.38	9.53	20.00
16	406.40	177.80	40-XS	0.50	12.70	26.70
18	457.00	203.20	STD	0.38	9.53	25.60
18	457.00	203.20	XS	0.50	12.70	34.10
20	508.00	228.60	STD	0.38	9.53	31.90
20	508.00	228.60	XS	0.50	12.70	42.50
22	559.00	254.00	STD	0.38	9.53	38.80
22	559.00	254.00	XS	0.50	12.70	51.70
24	610.00	266.70	STD	0.38	9.53	45.10
24	610.00	266.70	XS	0.50	12.70	60.10
26	660.00	266.70	STD	0.38	9.53	50.50
26	660.00	266.70	XS	0.50	12.70	67.30
28	711.00	266.70	STD	0.38	9.53	56.20
28	711.00	266.70	XS	0.50	12.70	74.90
30	762.00	266.70	STD	0.38	9.53	62.10
30	762.00	266.70	XS	0.50	12.70	82.80
32	813.00	266.70	STD	0.38	9.53	68.40
32	813.00	266.70	XS	0.50	12.70	91.60
34	864.00	266.70	STD	0.38	9.53	75.00
34	864.00	266.70	XS	0.50	12.70	100.00

Ø Nom.	Ø Ext. Bisel (D)	Largo (E)	Espesor de pared			Peso aprox.
pulg.	mm	mm	sch. n°	pulg.	mm	kg
36	914.00	266.70	STD	0.38	9.53	81.90
36	914.00	266.70	XS	0.50	12.70	109.00

Trabajamos con las normas
ASTM A-234 • ANSI B16.9
Relacionados con Casquetes

Bridas 150 lb

Bridas 300 lb

Bridas 600 lb

Caños ASTM A-53

Caños negros