

Bridas 150 lb

Bridas (ANSI B16.5) de 150 libras desde 1/2" hasta 24"

Slip On
Lap Joint - Socket Welding - Blind - Welding Neck
Slip On

Bridas 150 lb - Slip On

Tabla de bridas 150 lb - Slip On

Ø Nom.	Slip On									
	O	B	tf	Y	R	X	W	Cant. Agujeros	H	Peso aprox.
	Diámetro exterior	Interior	Espesor min.	Total min.	Resalte	Cubo	Entre centro		Mecha	
pulg.	mm	mm	mm	mm	mm	mm	mm	unidades	mm	kg
1/2	88.90	22.20	11.10	15.90	35.00	30.20	60.30	4	16.00	0.50
3/4	98.40	28.00	12.70	15.90	43.00	38.10	69.80	4	16.00	0.70
1	108.00	34.50	14.30	17.50	50.80	49.20	79.40	4	16.00	0.90
1 1/4	118.00	43.20	15.90	20.60	63.50	58.80	88.90	4	16.00	1.20
1 1/2	127.00	49.50	17.50	22.20	73.00	65.10	98.40	4	16.00	1.40
2	152.40	62.00	19.00	25.40	92.10	77.80	120.60	4	19.00	2.30
2 1/2	178.00	75.00	22.20	28.60	104.80	90.50	139.70	4	19.00	3.60
3	190.00	91.00	23.80	30.20	127.00	107.90	152.40	4	19.00	4.00
3 1/2	216.00	103.00	23.80	31.70	139.70	122.20	177.80	8	19.00	5.10
4	229.00	116.00	23.80	33.30	157.20	135.00	190.50	8	19.00	5.90
5	254.00	144.00	23.80	36.50	185.70	163.50	215.90	8	22.00	6.80
6	280.00	171.00	25.40	39.70	215.90	192.10	241.30	8	22.00	8.10
8	343.00	221.00	28.60	44.40	269.90	246.10	298.40	8	22.00	12.80
10	406.00	276.00	30.20	49.20	323.80	304.80	361.90	12	25.40	18.00
12	483.00	327.00	31.70	55.60	381.00	365.00	431.80	12	25.40	28.00
14	533.00	359.00	34.90	57.10	412.70	400.00	476.20	12	28.60	37.00
16	597.00	410.00	36.50	63.50	470.00	457.00	539.70	16	28.60	48.00
18	635.00	462.00	39.70	68.30	533.40	504.80	577.80	16	31.70	54.00
20	698.00	513.00	42.90	73.00	584.20	558.80	635.00	20	31.70	66.00
24	813.00	616.00	47.60	82.50	692.00	663.60	749.30	20	350.00	95.00

Ø Nom.	Slip On									
	O	B	tf	Y	R	X	W	Cant. Agujeros	H	Peso aprox.
	Diámetro exterior	Interior	Espesor min.	Total min.	Resalte	Cubo	Entre centro		Mecha	
pulg.	mm	mm	mm	mm	mm	mm	mm	unidades	mm	kg
Tolerancia +/-	1.60	1.60	32-0.00	2.40	0.80	1.60	1.60			

Lap Joint - Socket Welding - Blind - Welding Neck

Bridas 150 lb - Lap Joint - Socket Welding - Blind - Welding Neck

Tabla de bridas 150 lb - Lap Joint - Socket Welding - Blind - Welding Neck

Ø Nom.	Lap Joint			Socket Welding		Blind	Welding Neck				
	B	r	Peso aprox.	D	Peso aprox.	Peso aprox.	A	B	B	Y	Peso aprox.
	Interior	Radio		Prof. Socket			Ø Cuello	Sch. 40	Sch. 80	Altura total	
pulg.	mm	mm	kg	mm	kg	kg	mm	mm	mm	mm	kg
1/2	22.90	3.20	0.50	9.50	0.50	0.60	21.30	15.70	13.90	47.60	0.70
3/4	28.20	3.20	0.70	11.10	0.70	0.80	26.70	20.90	18.70	52.40	0.90
1	35.10	3.20	0.90	12.70	0.90	1.00	35.50	26.60	24.30	55.60	1.10
1 1/4	43.70	4.80	1.20	14.30	1.20	1.40	42.20	35.10	32.50	57.10	1.40
1 1/2	50.00	6.40	1.40	15.90	1.40	1.80	48.30	40.90	38.10	62.00	1.90
2	62.50	7.90	2.30	17.50	2.40	2.70	60.40	52.60	49.20	63.50	2.70
2 1/2	75.40	7.90	3.60	19.00	3.80	4.40	73.00	62.60	58.90	69.80	4.20
3	91.50	9.50	4.00	20.60	4.20	5.60	89.00	77.90	73.60	69.80	5.60
3 1/2	104.00	9.50	5.00	22.20	5.40	6.50	101.60	90.00	85.30	71.40	6.40
4	117.00	11.10	6.00	23.80	6.30	7.70	114.30	102.30	97.20	76.20	7.50
5	114.50	11.10	6.80	23.80	7.30	9.10	141.20	128.10	122.10	88.90	9.20
6	171.40	12.70	8.10	27.00	8.60	11.80	168.40	154.10	146.30	88.90	12.40

Ø Nom.	Lap Joint			Socket Welding		Blind	Welding Neck				
	B	r	Peso aprox.	D	Peso aprox.	Peso aprox.	A	B	B	Y	Peso aprox.
	Interio r	Radio		Prof. Socke t			Ø Cuello	Sch. 40	Sch. 80	Altura total	
pulg.	mm	mm	kg	mm	kg	kg	mm	mm	mm	mm	kg
8	222.0 0	12.70	12.80	31.70	12.00	20.40	219.2 0	202.7 0	193.8 0	101.6 0	19.50
10	277.0 0	12.70	18.00	33.30	19.20	31.80	273.0 0	254.0 0	247.6 0	114.3 0	26.70
12	328.0 0	12.70	27.00	39.70	29.30	50.00	323.8 0	305.0 0	298.4 0	127.0 0	37.00
14	360.0 0	12.70	41.00	41.30	39.60	62.00	355.0 0	336.6 0	317.5 0	127.0 0	52.00
16	411.0 0	12.70	54.00	44.30	51.00	84.00	406.0 0	387.4 0	363.6 0	139.7 0	64.00
18	463.0 0	12.70	62.00	49.20	58.00	99.00	457.0 0	438.2 0	409.6 0	139.7 0	73.00
20	514.0 0	12.70	75.00	54.00	72.00	128.0 0	508.0 0	489.0 0	455.6 0	144.5 0	90.00
24	616.0 0	12.70	107.0 0	63.50	103.0 0	188.0 0	609.0 0	590.6 0	547.6 0	152.4 0	121.0 0
Tolera ncia +-	1.60	1.60		0.80			32-0.8 0	1.60	1.60	2.40	

Trabajamos con la norma

ANSI B16.5

Relacionados con Bridas 150 lb

Accesorios para soldar

Caños negros

Espárragos para Bridas ASA

Juntas para bridas

Tubos sin costura

Tubos sin costura SCH40